

Heat Pump Supplier, Heat Pumps Exporter, Heat Pumps Heat Pump Water Heater www.heatpumpsupply.com

Heat Pump Dryer

Heat Pump Dryer for Industrial Use

Model Number: DE-46W/K

MOQ: 1 Set



Key Specifications/Special Features:

- Parameters:
 - Outdoor unit:
 - Power supply: 380V/3ph/50Hz
 - Heating capacity: 18.5kW
 - Rated power input: 5.8kW
 - Ambient air volume: 5,500m³/hour
 - Refrigerant type: R417A
 - Refrigerant weight: 4,700g
 - Maximum input power: 10.5kW
 - Maximum current: 18.5A
 - Level against electric: shock I
 - Waterproof grade: IPX4
 - Net weight: 155kg
 - Net size: 800 x 800 x 1,000mm
 - Connection (φ): 12.7/19.05
 - Operating temperature range: -10 to 45°C
 - Noise: ≤62dBa
 - Test condition ambient temperature (dry/wet ball): 20/15°C
 - Outlet temperature: 45°C
 - Indoor unit:

Professional Supplier of heat Pumps Website: www.heatpumpsupply.com

Heat Pump Supplier, Heat Pumps Exporter, Heat Pumps Heat Pump Water Heater www.heatpumpsupply.com

- Power supply: 380V/3ph/50Hz
- Rated power input: 0.55kW
- Maximum input power: 23.5kW
- Level against electric: shock I
- Waterproof grade: IPX4
- Net weight: 100kg
- Net size: 800 x 755 x 900mm
- Operating temperature range: -10 to 45°C
- Test condition ambient temperature (dry/wet ball): 20/15°C
- Outlet temperature: 45°C
- Features:
 - Industrial use to bake, such as, tobacco, fruit, tea leaf, food, wood and more
 - An intelligent device comprises indoor and outdoor unit, integrating heating, cooling, moisture discharge and ventilation
 - Using the principle of heat pump for heat recovery from vapor condensation, no waste heat emission
 - Maximum outlet temperature is 45°C
- Composition:
 - Indoor unit includes Chinese famous brand FLH fan coil and fin type heat exchanger
 - Outdoor unit comprises Copeland compressor, Emerson ALCO expansion valve, anti-corrosion fin type evaporator
 - Refrigerant: R417a

Payment Details:

- Payment Terms:
 - Telegraphic Transfer (TT,T/T)
- Minimum Order:
 - 1 Set

Delivery Details:

- FOB Port:
 - Qingdao/Shanghai/Guangzhou
- Lead Time:
 - 20 - 25 days

Country of Origin:

- China (mainland)

Primary Competitive Advantages:

- Brand-name Parts
- Green Product
- Product Features
- Product Performance
- Quality Approvals
- Low-cost

Professional Supplier of heat Pumps Website: www.heatpumpsupply.com

Heat Pump Supplier, Heat Pumps Exporter, Heat Pumps
Heat Pump Water Heater www.heatpumpsupply.com

- 18 Months Warranty

Main Export Markets:

- Eastern Europe
- Mid East/Africa
- Asia
- Western Europe
- Australasia

[Http://www.heatpumpsupply.com/Heat-Pump-Dryer-for-Industrial-Use.htm](http://www.heatpumpsupply.com/Heat-Pump-Dryer-for-Industrial-Use.htm)

Contact us today.

www.heatpumpsupply.com

Professional Supplier of heat Pumps Website: www.heatpumpsupply.com